



Exposure of Astera Lights to Disinfectant Spray

Test done with products:
AX3, AX5, FP2

Disinfectant:
75% alcohol in spray bottle

Quantity of disinfectant (single spraying):
AX3 - 2,5ml
AX5 - 4ml
FP2 - 9ml

Method of testing:

1. Check the housing of AX3, AX5 and FP2 to see if there is any defect.
2. Turn on AX3, AX5 and FP2 via power button, check whether they turn on normally, whether the light is normal and check if the display of AX5 and FP2 are working in a usual way.
3. Shut down AX3, AX5 and FP2 with power button. Then spray 75% alcohol disinfectant on the three products.
4. Repeat step 1-3 every 30 minutes, and record each result - as shown below.

Date 06/02/2020; Time 8:30			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-

RESULTS DISINFECTION TEST

AX3

Date	06/02/2020	06/03/2020	06/04/2020	06/05/2020	06/08/2020
Result	normal	normal	normal	normal	normal

AX5

Date	06/02/2020	06/03/2020	06/04/2020	06/05/2020	06/08/2020
Result	normal	normal	normal	normal	normal

FP2

Date	06/02/2020	06/03/2020	06/04/2020	06/05/2020	06/08/2020
Result	normal	normal	normal	normal	normal

PROTOCOL SPRAY TEST

AX3

Date 06/02/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/03/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/04/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/05/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/08/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-

AFTER TEST



AX5

Date 06/02/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/03/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/04/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/05/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/08/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-

AFTER TEST



FP2

Date 06/02/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/03/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/04/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/05/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-
Date 06/08/2020; Time 8:30, 9:10, 9:40, 10:10, 10:40, 11:10, 11:40, 12:00, 13:30, 14:10, 14:40, 15:10, 15:40, 16:10, 16:40, 17:10, 17:40			
Housing ok	„Power ON“ works	Disinfectant applied	Remark
yes	yes	yes	-

AFTER TEST

