




FlyBar is a sturdy rigging accessory for hanging up to 8 AX2-50 or 4 AX2-100 PixelBars from a single point. It offers the possibility to angle the suspended AX2s more upwards or downwards by choosing one of the 9 mounting holes of the FlyBar.

SPECIFICATIONS

Order Code	AX2-FB
Dimensions (L x W x D)	201.5 mm x 138.7 mm x 84.6 mm / 7.9" x 5.5" x 3.3"
Weight	1.39 kg / 3.1 lbs



All specifications provided are typical values and maybe subject to change without prior notice.

DRAWINGS




SAFETY

When hanging always use safety rigging point or TrackHanger. Please check the safety regulations in your region.



HANGING AX2 WITH FLYBAR



Max angle: When the suspension point is at this hole, the product can tilt the maximum angle

Offset angle: The device does not hang vertically in all combinations and then has a different angle


Adjust angle: The angle that results for the different holes and combinations of AX2

ANGLES WHEN HANGING AX2

#AX2s	1x50	1x100	2x50	1x50 + 1x100	3x50	2x100	2x50 + 1x100	4x50
Adjust angle	5°	2.49°	2.4°	1.7°	1.6°	1.22°	1.1°	1.2°
Max angle	26.15°	14.97°	13.42°	10.14°	8.87°	7.38°	6.49°	6.63°
Offset angle	2.61°	0	1.03°	0.25°	0.67°	0.12°	0.19°	0.49



#AX2s	1x50 + 2x100	3x50 + 1x100	5x50	3x100	2x50 + 2x100	4x50 + 1x100	6x50
Adjust angle	1°	1°	0.95°	0.8°	0.75°	0.75°	0.8°
Max angle	6.04°	5.9°	5.31°	4.87°	4.39°	4.27°	4.42°
Offset angle	0°	0.2°	0.34°	0.11°	0.04°	0.16°	0.28°



#AX2s	1x50 + 3x100	3x50 + 2x100	5x50 + 1x100	7x50	4x100	2x50 + 3x100	4x50 + 2x100	6x50 + 1x100	8x50
Adjust angle	0.65°	0.63°	0.62°	0.67°	0.6°	0.62°	0.63°	0.62°	0.6°
Max angle	3.93°	3.7°	3.66°	3.85°	3.63°	3.76°	3.72°	3.55°	3.3°
Offset angle	0.04°	0.04°	0.03°	0.05°	0.09°	0.08°	0.09°	0.08°	0.09°

